

Konformitätserklärung (gemäß Anhang VIII der Verordnung (EU) 2025/40-PPWR)

Aussteller:

Seal Concept GmbH
Hans-Sachs-Straße 2
86399 Bobingen
GERMANY

Unterzeichnet im Namen des Ausstellers**Leiter QM**

Quality Management Department
Bobingen, den 25.09.2026

Gegenstand der Erklärung:

Nummer: PVC Band

Produkt: Selbstklebeband / Verpackungsband

Handelsname: SupraBand

Beschreibung: Universelles Verpackungsband zum sicheren Verschließen von mittelschweren Kartonagen und Schachteln.

Trägermaterial & Kleber: Hart-PVC-Folie (Trägerdicke 32 my) mit Naturkautschuk-Kleber.

Ausführung: Braun, weiß oder transparent; wahlweise bedruckt oder fadenverstärkt.

Verwendungszweck: Universelle Transport- und Versandverpackungskomponente für Industrie- und Handelsgüter.

Konformitätsbestätigung:

Der oben beschriebene Gegenstand der Erklärung erfüllt alle geltenden Harmonisierungsrechtsvorschriften der Union:

- **Verordnung (EU) 2025/40** des Europäischen Parlaments und des Rates über Verpackungen und Verpackungsabfälle (PPWR).

Der Erzeuger bestätigt die Einhaltung der folgenden spezifischen Anforderungen der Verordnung (EU) 2025/40:

- **Stoffbeschränkungen (Artikel 5):** Die Summe der Konzentrationswerte von Blei, Cadmium, Quecksilber und sechswertigem Chrom in der PVC-Folie und der Klebermatrix überschreitet den Grenzwert von 100 mg/kg (ppm) nicht. Es wurden keine per- und polyfluorierten Alkylsubstanzen (PFAS) in Konzentrationen oberhalb der gesetzlichen Grenzwerte zugesetzt. In Übereinstimmung mit den Leitlinien der Europäischen Kommission wurde die Analyse des Gesamtfluors (TF) als erster Schritt

durchgeführt und zeigt einen Gesamtfluorgehalt der Produkte unterhalb des Grenzwerts von 50 ppm.

- **Recyclingfähigkeit und Rezyklatquote (Artikel 6 & 7):** Das Verpackungsband ist so gestaltet, dass es den Recyclingprozess der Hauptverpackung (Pappe/Karton) gemäß den geltenden "Design for Recycling"-Kriterien nicht einschränkt. Der Naturkautschuk-Kleber und die PVC-Folie lassen sich im Papierrecyclingstrom trennen und beeinträchtigen die Wiederverwertung nicht. Die Vorgaben zur Mindest-Rezyklatquote (PCR) für die Kunststoffkomponente werden im Rahmen der gesetzlichen Übergangsfristen und Materialklassen erfüllt.
- **Verpackungsminimierung (Artikel 10):** Optimierung von Trägerdicke (32 my) und Klebstoffauftrag auf das für die Transportsicherheit und den dauerhaften Verschluss erforderliche Mindestmaß zur Vermeidung unnötigen Materialeinsatzes.

Die alleinige Verantwortung für die Ausstellung dieser Konformitätserklärung trägt der Erzeuger.

Declaration of Conformity (in accordance with Annex VIII of Regulation (EU) 2025/40-PPWR)

Issuer:

Seal Concept GmbH
Hans-Sachs-Straße 2
86399 Bobingen
GERMANY

Signed for and behalf of Issuer**Head of QM**

*Quality Management Department
Bobingen, 25.09.2026*

Subject of the Declaration:

Number: PVC Tape

Product: Self-adhesive tape / Packaging tape

Trade Name: SupraBand

Description: Universal packaging tape for the secure closure of medium-weight boxes and cartons

Backing Material & Adhesive: Rigid PVC film (backing thickness 32 my) with natural rubber adhesive

Design: Brown, white, or transparent; optionally printed or filament-reinforced

Intended use: Universal transport and shipping packaging component for industrial and commercial goods

Declaration of Conformity:

The subject of the declaration described above complies with all applicable Union harmonization legislation:

- **Regulation (EU) 2025/40** of the European Parliament and of the Council on Packaging and Packaging Waste (PPWR).

The manufacturer confirms compliance with the following specific requirements of Regulation (EU) 2025/40:

- **Substance restrictions (Article 5):** The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium in the PVC film and adhesive matrix does not exceed the limit value of 100 mg/kg (ppm). No per- and polyfluoroalkyl

substances (PFAS) have been added in concentrations exceeding the legal limits. In accordance with the European Commission's guidelines, an analysis of total fluorine (TF) was conducted as a first step and shows that the total fluorine content of the products is below the limit of 50 ppm.

- **Recyclability and Recycled Content (Article 6 & 7):** The packaging tape is designed in such a way that it does not hinder the recycling process of the primary packaging (cardboard/box) in accordance with the applicable "Design for Recycling" criteria. The natural rubber adhesive and PVC film can be separated during the paper recycling stream and do not impair recycling. The requirements for the minimum post-consumer recycled content (PCR) for the plastic component are met within the framework of the statutory transition periods and material classes.
- **Minimization of packaging (Article 10):** Optimizing the backing thickness (32 my) and adhesive coating to the minimum necessary for transport safety and permanent closure in order to avoid unnecessary material consumption.

The manufacturer bears sole responsibility for issuing this Declaration of Conformity.